



DACTYLCAM PRO

DACTYLCAM PRO

SPECS

Dactlycam Pro - 56v brushed motor paired with a 300amp motor controller and fueled from dual 16aH batteries delivering incredible fast take off and top speeds.

Run times can exceed 8 hours and system status and health is monitored wirelessly via the pulse controller.

Built for the largest Cinema applications up to 150lbs with speeds of 40 mph and high output power to last all day.

TOP SPEED

40 MPH 64 kmh

Hit top speeds at max payload capacity.

MAX PAYLOAD

150 LBS 68 KG

Max payload capacity.

BATTERY LIFE

8 HOURS OF RUN TIME

Dual 56v 6 cell Li-Ion batteries delivering a constant 120amps.

LONG RANGE CONTROL

RF INTERNAL DATA RADIO

Long range internal RF with 915mhz, 868mhz or external radio control.



CINE SIZE.

Engineered for the highest demanding jobs in the film industry. With payloads up to 150lbs and speeds up to 40mph for 8 hours of operation... There's simply no other option on a single axis cablecam.


LARGE PAYLOAD CAPACITY
150LBS

RELIABILITY FOR THE HIGHEST DEMANDING JOBS

Purpose built for the highest demanding camera packages and payloads where speed and performance matter most. 56v brushed motor paired with a high amp motor controller with dual 16Ah batteries deliver incredible fast take off and top speeds yet detailed programmability to dial in operational and performance preferences.

DACTYLCAM CINE

PHYSICAL LAYOUT



BUILT FOR THE BIGGEST.

Purpose build for the highest demanding camera packages and payloads where speed and performance matter most.

LONG RANGE RF

915

mhZ

868 mhZ

or

Ethernet options

1. Dual 48v batteries, power sled, camera, accessories
2. High output brushless motor
3. LCD data display
4. Dual line Safety Bracket
5. Accessory power button
6. Dual digital encoders ensure accurate data read outs
7. Quad D-tap 14.8V accessory power